

5900 Multi-Stage Horizontal Split Case Pumps Performance

Table of Contents

Hydraulic Coverage Chart.....	002
-------------------------------	-----

3600 RPM


2" 5972 (K2M1A&B)	003
2-1/2" 5972 (K2½M1A&B)	003
3" 5972 (K3M1A&B)	004
5" 5972 (K5M1C&D).....	004



1800 RPM

3" 5922 (K3T1A&C).....	005
5" 5922 (K5T1A&B).....	005
5" 5922 (K5T1C&D).....	006
6" 5922 (K6T1A&B).....	006
2" 5972 (K2M1A&B)	007
2-1/2" 5972 (K2½M1A&B)	007
3" 5972 (K3M1A&B)	008
5" 5972 (K5M1C&D).....	008

1200 RPM


3" 5922 (K3T1A&C).....	009
5" 5922 (K5T1A&B).....	009
5" 5922 (K5T1C&D).....	010
6" 5922 (K6T1A&B).....	010






3"
5972
3570 RPM



IMPELLER
K3M1A&B
SUCTION SIZE
4"
EYE AREA
9.8 SQ.IN.
MAX.SPHERE
1/2"



5"
5972
3570 RPM


IMPELLER
K5M1C&D
SUCTION SIZE
8"
EYE AREA
24.2 SQ.IN.
MAX.SPHERE
5/8"






5"
5922
1785 RPM



IMPELLER
K5T1C&D
SUCTION SIZE
6"
EYE AREA
24.6 SQ. IN.
MAX. SPHERE
13/32"



6"
5922
1785 RPM


IMPELLER
K6T1A&B
SUCTION SIZE
8"
EYE AREA
40.6 SQ. IN.
MAX. SPHERE
15/16"






3"
5972
1760 RPM



IMPELLER
 K3M1A&B
 SUCTION SIZE
 4"
 EYE AREA
 9.8 SQ.IN.
 MAX.SPHERE
 1/2"



5"
5972
1775 RPM


IMPELLER
 K5M1C&D
 SUCTION SIZE
 8"
 EYE AREA
 24.2 SQ.IN.
 MAX.SPHERE
 5/8"





5"
5922
1180 RPM

IMPELLER
K5T1C&D
SUCTION SIZE
6"
EYE AREA
24.6 SQ. IN.
MAX. SPHERE
13/32"



6"
5922
1185 RPM

IMPELLER
K6T1A&B
SUCTION SIZE
8"
EYE AREA
40.6 SQ. IN.
MAX. SPHERE
15/16"

